



THE OIL FAMILY

Material Safety Data Sheet





EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFICATION					
PRODUCT NAME	SPRUCE BLACK, ESSENTIAL OIL				
BIOLOGICAL DEFINITION	PICEA MARIANA LEAF OIL IS AN ESSENTIAL OIL OBTAINED FROM THE LEAVES OF THE SPRUCE, PICEA MARIANA, PINACEAE.				
INCI NAME	PICEA MARIANA LEAF OIL.				
SYNONYMS & TRADE NAMES					
INTERNAL PRODUCT CODE	K0435				
CAS-No	91722-19-9	EC No.	294-420-3	EINECS No.	294-420-3
1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
COMPANY ADDRESS	O&3 Unit 2, Athelstan Business Park, Hanwell Lane, Hutton Conyers, Ripon, HG4 5BF, England.				
EMAIL	THOMASKERFOOT@OAND3.COM				
1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET					
EMERGENCY CONTACTS	MRS. ELEANOR WADE (07968 200167)				

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM

SECTION 2: HAZARDS IDENTIFICATION	
2.1	
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.
CLASSIFICATION (EU1272/2008)	FLAM. LIQ. 3 (H226) ASP. TOX. 1 (H304) EYE IRRIT. 2 (H319) SKIN SENS. 1 (H317) AQU. CHRON. 1 (H410)
2.2	
LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.
GHS LABEL	    GHS02 GHS07 GHS08 GHS09
SIGNAL WORD	DANGER.
CONTAINS	DELTA-3-CARENE, ALPHA-PINENE, BETA-PINENE, LIMONENE, CAMPHENE.
HAZARDS STATEMENT	H226 FLAMMABLE LIQUID AND VAPOUR. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H319 CAUSES SERIOUS EYE IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
PRECAUTIONARY STATEMENTS	P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING. P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/EQUIPMENT. P301+P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/ DOCTOR. P303+P361+P353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. P405 STORE LOCKED UP. P501 DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	-
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
2.3	
OTHER HAZARDS	
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO DATA
ADVERSE EFFECTS ON HUMAN HEALTH	NO DATA
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA
SECTION 3: COMPOSITION OF INGREDIENTS	



THE OIL FAMILY

3.2 MIXTURES	<p>20-30% LIMONENE CAS-No.: 5989-27-5 EC No.: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, SKIN IRRIT 2 – H315 ASP TOX. 1 – H304, SKIN SENS. 1 – H317 AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410</p> <p>20-25% CAMPHENE CAS-No 79-92-5, EC 201-234-8 CLASSIFICATION (EC 1272/2008); FLAM. SOL. 1 – H228, EYE IRRIT 2 – H319, AQUATIC ACUTE 1 – H400</p> <p>10-20% ALPHA-PINENE CAS-No.: 80-56-8 EC No.: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304</p> <p>2-4% BETA-PINENE CAS. NO: 127-91-3 EC NO: 204-872-5 CLASSIFICATION (EC 1272/2008); DANGER, FLAM. LIQ. 3 – H226, SKIN SENS. 1 – H317 , ASP TOX. 1 – H304, AQUATIC CHRONIC 1 – H410</p> <p>1-4% DELTA-3-CARENE CAS-No.: 13466-78-9 EC No.: 236-719-3 CLASSIFICATION (EC 1272/2008) DANGER FLAM. LIQ. 3, H226; ASP. TOX. 1, H304; AQUATIC CHRONIC 2, H411; SKIN SENS. 1, H317</p>
--------------	---

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	<p>INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING.</p> <p>INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM.</p> <p>SKIN CONTACT TOXIC IN CONTACT WITH SKIN.</p> <p>EYE CONTACT MAY CAUSE EYE IRRITATION.</p>
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MATERIAL	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
5.3 ADVICE FOR FIRE-FIGHTERS	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM



THE OIL FAMILY

SECTION 7: HANDLING & STORAGE	
7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
7.3 SPECIFIC END USE(S)	NO DATA.
SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION	
8.1 CONTROL PARAMETERS	NO DATA.
8.2 EXPOSURE CONTROLS	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
RESPIRATORY EQUIPMENT	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
ENGINEERING MEASURES	NONE.
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.
SECTION 9: PHYSICAL & CHEMICAL PROPERTIES	
9.1 PHYSICAL & CHEMICAL PROPERTIES	
APPEARANCE	LIQUID
COLOUR	YELLOW – RED BROWN
ODOUR	CHARACTERISTIC
RELATIVE DENSITY	APPROX 0.886 @ 20°C

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM



THE OIL FAMILY

FLASH POINT (°C)	42°C
REFRACTIVE INDEX @ 20 °C	APPROX. 1.470 @ 20°C
SOLUBILITY IN WATER @ 20 °C	INSOLUBLE IN WATER.
9.2 OTHER INFORMATION	NO DATA.
SECTION 10: STABILITY & REACTIVITY	
10.1 REACTIVITY	PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.
10.2 CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NO.
10.4 CONDITIONS TO AVOID	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.
10.5 INCOMPATIBLE MATERIALS	P.V.C
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: TOXICOLOGICAL INFORMATION	
11.1 TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY	ACUTE TOXICITY LD50 (ORAL) IN MG/KG: > 5000 LD50 (DERMAL) IN MG/KG: > 5000
SKIN IRRITATION	MAY CAUSE AN ALLERGIC SKIN REACTION.
EYE DAMAGE OR IRRITATION	NOT CLASSIFIED AS IRRITATING TO THE EYE (SOURCE CSR)
RESPIRATORY OR SKIN SENSITIVITY	NO DATA.
GERM CELL MUTAGENICITY	NEGATIVE. (SOURCE CSR).
CARCINOGENICITY	NOT APPLICABLE.
REPRODUCTIVE TOXICITY	NOT APPLICABLE.
STOT – SINGLE EXPOSURE	NOT APPLICABLE.
STOT – REPEATED EXPOSURE	NOT APPLICABLE.
ASPIRATION HAZARD	NO DATA.
OTHER INFORMATION	NO DATA.

SECTION 12: ECOLOGICAL INFORMATION	
12.1 TOXICITY	ADOPT GOOD WORKING PRACTICES, SO THAT THE PRODUCT IS NOT RELEASED INTO THE ENVIRONMENT. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
12.2 PERSISTENCE & DEGRADABILITY	TO BE CONSIDERED AS READILY BIODEGRADABLE BASED ON ITS READY BIODEGRADABILITY. OIL DOES NOT FULFIL THE CRITERIA FOR PERSISTENCE.
12.3 BIO- ACCUMULATIVE POTENTIAL	BIO-ACCUMULATION POTENTIAL
12.4 MOBILITY IN SOIL	CONSIDERED AS A READILY BIODEGRADABLE NCS. BASED ON THE READY BIODEGRADABILITY OF THE NCS, SIMULATION TESTS IN SURFACE WATER, SEDIMENT AND SOIL ARE NOT REQUIRED IN ACCORDANCE WITH EFFECTS.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	LIST OF SUBSTANCES DANGEROUS FOR THE ENVIRONMENT AND CORRESPONDING CLASSIFICATION: 1% - 6% ALPHA PINENE CAS: 7785-26-4 EC: 232-077-3



The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



THE OIL FAMILY

	<p>H410 VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.</p> <p>1% - 5% LIMONENE CAS: 5989-27-5 EC: 227-813-5</p> <p>H410 VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.</p> <p>FISH (P.PROMELAS): LC50 33MG/L - 96H</p> <p>DAPHIA MAGNA: EC50 69.6 MG/L - 48H</p> <p>VPVB SUBSTANCES: - PBT SUBSTANCES: NONE</p>
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.
SECTION 13: DISPOSAL INFORMATION	
13.1 WASTE TREATMENT METHODS	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

SECTION 14: TRANSPORT INFORMATION

14.1 TRANSPORT INFORMATION	
	<p>UN NUMBER</p> <p>ROAD: 1272 RAIL: 1272 AIR: 1272</p>
14.2 UN SHIPPING NAME	PINE OIL
14.3 TRANSPORT HAZARD CLASS(ES)	<p>ADR/RID/ADN CLASS: 3: (F1) FLAMMABLE LIQUIDS</p> <p>ADR HI No: 30</p> <p>IMDG CLASS: 3: FLAMMABLE LIQUIDS</p> <p>ICAO CLASS/DIVISION: 3: FLAMMABLE LIQUIDS</p> <p>TRANSPORT LABELS</p>  <p>EAC - 3Y HIN - 30</p>
14.4 PACKING GROUP	<p>ADR/RID/ADN PACKING GROUP III</p> <p>IMDG PACKING GROUP III</p> <p>ICAO PACKING GROUP III</p>
14.5 ENVIROMENTAL HAZARDS	<p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT</p> 
14.6 SPECIAL PRECAUTIONS FOR USER	NONE.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



THE OIL FAMILY

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	No ADDITIONAL DATA.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) No793/93 & COMMISSION REGULATION (EC) No1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 No 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 CHEMICAL SAFETY ASSESSMENT	-

SECTION 16: OTHER INFORMATION	
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H226 FLAMMABLE LIQUID AND VAPOUR. H228 FLAMMABLE SOLID. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H319 CAUSES SERIOUS EYE IRRITATION. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM



DOCUMENTATION REVISION	
DATE	CHANGE DESCRIPTION
10 TH APRIL 2018	DATA LAUNCH

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM