



Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFICATION

PRODUCT NAME	PARSLEY SEED, ESSENTIAL OIL				
BIOLOGICAL DEFINITION	CARUM PETROSELINUM SEED OIL IS A VOLATILE OIL OBTAINED FROM THE SEEDS OF THE PARSLEY, CARUM PETROSELINUM L., APIACEAE.				
INCI NAME	CARUM PETROSELINUM SEED OIL				
SYNONYMS & TRADE NAMES	PARSLEY OIL				
INTERNAL PRODUCT CODE	K0337				
CAS-No	84012-33-9 / 8000-68-8	EC No.	281-677-1	EINECS No.	281-677-1

1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

COMPANY ADDRESS	O&3 Unit 2, Athelstan Business Park, Hanwell Lane, Hutton Conyers, Ripon, HG4 5BF, England.
EMAIL	TECHNICALCREW@OAND3.COM





1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

EMERGENCY CONTACTS	MRS. ELEANOR WADE (07968 200167)
--------------------	----------------------------------

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.
CLASSIFICATION (EU1272/2008)	<p>PHYSICAL HAZARDS FLAMMABLE LIQUID CATEGORY 3 – H226</p> <p>HEALTH HAZARDS ASP. TOX. CATEGORY 1 – H304 SKIN IRRIT. CATEGORY 2 – H315 SKIN SENS. CATEGORY 1 – H317</p> <p>ENVIRONMENTAL HAZARDS AQUATIC ACUTE 1 – H400 AQUATIC CHRONIC 1 – H410</p>
2.2 LABEL ELEMENTS	LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.
GHS LABEL	<div>     </div> <div> GHS02 GHS07 GHS08 GHS09 </div>
SIGNAL WORD	DANGER.
CONTAINS	D-LIMONENE, BETA-PINENE, ALPHA-GUAIENE
HAZARDS STATEMENT	H226: FLAMMABLE LIQUID AND VAPOUR. H304: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315: CAUSES SKIN IRRITATION. H317: MAY CAUSE AN ALLERGIC SKIN REACTION. H410: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS
PRECAUTIONARY STATEMENTS	P210: KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P261 AVOID BREATHING FUME MIST/VAPOURS/SPRAY. P273: AVOID RELEASE TO THE ENVIRONMENT. P301+P310: IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. P331: DO NOT INDUCE VOMITING. P280: WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P501: DISPOSE OF CONTENTS IN ACCORDANCE WITH LOCAL, STATE OR NATIONAL LEGISLATION. P261: AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P333+P313: IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P362+P364: TAKE OFF CONTAMINATED CLOTHING. AND WASH IT BEFORE REUSE. P302+P352: IF ON SKIN: WASH WITH PLENTY OF WATER. P273: AVOID RELEASE TO THE ENVIRONMENT. P370+P378 IN CASE OF FIRE: USE CO2, DRY CHEMICAL, OR ALCOHOL RESISTANT FOAM TO EXTINGUISH. P391: COLLECT SPILLAGE.
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P264: WASH HANDS AND EXPOSED SKIN THOROUGHLY AFTER HANDLING. P332+P313: IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION.
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
2.3 OTHER HAZARDS	
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO DATA
ADVERSE EFFECTS ON HUMAN HEALTH	NO DATA
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA



SECTION 3: COMPOSITION OF INGREDIENTS

3.2 MIXTURES	<36% LIMONENE CAS No: 5989-27-5 EC No: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ASP. TOX. 1 – H304, SKIN IRRIT. 2 – H315, SKIN SENS. 1 – H317 AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410
	2.0 – 5.0 % BETA-PINENE CAS No: 127-91-3 EC No: 204-872-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ASP. TOX. 1 – H304, SKIN IRRIT. 2 – H315, SKIN SENS. 1 – H317, AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410
	2.0 – 5.0% ALPHA-GUAIENE CAS No: 3691-12-1 EC No: - CLASSIFICATION (EC 1272/2008) ASP. TOX. 1 – H304, SKIN IRRIT. 2 – H315, EYE IRRIT. 2 – H319
	<1.0% MYRCENE CAS-NO: 123-35-3 EC No: 204-622-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ASP. TOX. 1 – H304, SKIN IRRIT. 2 – H315, EYE IRRIT. 2 – H319
	<1.0% ALPHA-PINENE CAS-No: 80-56-8 EC No: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ASP. TOX. 1 – H304, SKIN IRRIT. 2 – H315, SKIN SENS. 1 – H317

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	DO NOT INDUCE VOMITING. INGESTION MAY CAUSE NAUSEA AND VOMITING. IMMEDIATELY RINSE MOUTH AND PROVIDE FRESH AIR. GET MEDICAL ADVICE/ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	ALLERGIC CONTACT DERMATITIS. MAY CAUSE AN ALLERGIC SKIN REACTION. RASH. SKIN IRRITATION. MAY CAUSE REDNESS AND PAIN.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MATERIAL	SUITABLE EXTINGUISHING MEDIA: WATER SPRAY, FOG, CO ₂ , DRY CHEMICAL OR ALCOHOL RESISTANT FOAM. UNSUITABLE EXTINGUISHING MEDIA: DO NOT USE A SOLID WATER STREAM AS IT MAY SCATTER AND SPREAD FIRE.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
5.3 ADVICE FOR FIRE-FIGHTERS	FIREFIGHTERS MUST USE STANDARD PROTECTIVE EQUIPMENT INCLUDING FLAME RETARDANT COAT, HELMET WITH FACE SHIELD, GLOVES, RUBBER BOOTS, AND IN ENCLOSED SPACES, SCBA. STRUCTURAL FIRE FIGHTERS PROTECTIVE CLOTHING WILL ONLY PROVIDE LIMITED PROTECTION. WEAR SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACE PIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE WHEN FIGHTING FIRES.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.




SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS	KEEP UNNECESSARY PERSONNEL AWAY. DO NOT TOUCH DAMAGED CONTAINERS OR SPILLED MATERIAL UNLESS WEARING APPROPRIATE PROTECTIVE CLOTHING. VENTILATE CLOSED SPACES BEFORE ENTERING THEM. ELIMINATE ALL SOURCES OF IGNITION. AVOID CONTACT WITH SKIN OR INHALATION OF SPILLAGE, DUST OR VAPOUR.
6.2 ENVIRONMENTAL PRECAUTIONS	AVOID RELEASE TO THE ENVIRONMENT. CONTACT LOCAL AUTHORITIES IN CASE OF SPILLAGE TO DRAIN/AQUATIC ENVIRONMENT. PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT CONTAMINATE WATER. RETAIN AND DISPOSE OF CONTAMINATED WASH WATER.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	ELIMINATE ALL IGNITION SOURCES (NO SMOKING, FLARES, SPARKS OR FLAMES IN IMMEDIATE AREA). STOP THE FLOW OF MATERIAL, IF THIS IS WITHOUT RISK. DIKE THE SPILLED MATERIAL, WHERE THIS IS POSSIBLE. ABSORB WITH INERT ABSORBENT SUCH AS DRY CLAY, SAND OR DIATOMACEOUS EARTH, COMMERCIAL SORBENTS, OR RECOVER USING PUMPS. ALLOW GAS TO DISSIPATE INTO THE ATMOSPHERE. BLOCK ANY POTENTIAL ROUTES TO WATER SYSTEMS. STOP THE FLOW OF MATERIAL, IF THIS IS WITHOUT RISK. DIKE THE SPILLED MATERIAL, WHERE THIS IS POSSIBLE. COVER WITH PLASTIC SHEET TO PREVENT SPREADING. PREVENT PRODUCT FROM ENTERING DRAINS. DO NOT ALLOW MATERIAL TO CONTAMINATE GROUND WATER SYSTEM. ABSORB IN VERMICULITE, DRY SAND OR EARTH AND PLACE INTO CONTAINERS. SMALL SPILLS: WIPE UP WITH ABSORBENT MATERIAL (E.G. CLOTH, FLEECE). CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION. NEVER RETURN SPILLS IN ORIGINAL CONTAINERS FOR RE-USE. THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF AS HAZARDOUS WASTE.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTION 7. REFER & CONSIDER SECTION 8.

SECTION 7: HANDLING & STORAGE

7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP CONTAINER CLOSED. HANDLE CONTAINERS WITH CARE. OPEN SLOWLY IN ORDER TO CONTROL POSSIBLE PRESSURE RELEASE. STORE IN A COOL, WELL-VENTILATED AREA.
7.3 SPECIFIC END USE(S)	NO DATA.

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 CONTROL PARAMETERS	NO DATA.
8.2 EXPOSURE CONTROLS	
  	
EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
RESPIRATORY EQUIPMENT	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



	OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
ENGINEERING MEASURES	PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION.
SKIN PROTECTION	WEAR APRON OR PROTECTIVE CLOTHING IN CASE OF CONTACT. WORK CLOTHING WORN BY PERSONNEL SHALL BE LAUNDERED REGULARLY. AFTER CONTACT WITH THE PRODUCT, ALL PARTS OF THE BODY THAT HAVE BEEN SOILED MUST BE WASHED.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. WEAR SUITABLE PROTECTIVE CLOTHING.
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIROMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 PHYSICAL & CHEMICAL PROPERTIES	
APPEARANCE	LIQUID
COLOUR	DARK YELLOW TO AMBER BROWN
ODOUR	CHARACTERISTIC
RELATIVE DENSITY	APPROX. 0.913 @ 20°C
FLASH POINT (°C)	47.8 °C CLOSED CUP
REFRACTIVE INDEX @ 20 °C	APPROX. 1.488 @ 20°C
SOLUBILITY IN WATER @ 20 °C	INSOLUBLE IN WATER
9.2 OTHER INFORMATION	NO DATA.

SECTION 10: STABILITY & REACTIVITY

10.1 REACTIVITY	PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.
10.2 CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NO DANGEROUS REACTIONS EXPECTED IF USED ACCORDING TO SPECIFICATIONS.
10.4 CONDITIONS TO AVOID	AVOID HEAT, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. AVOID TEMPERATURES EXCEEDING THE FLASH POINT. CONTACT WITH INCOMPATIBLE MATERIALS.
10.5 INCOMPATIBLE MATERIALS	STRONG OXIDIZING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THE THERMAL DECOMPOSITION MAY RELEASE/FORM CARBON MONOXIDE (CO), CARBON DIOXIDE (CO2)

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



SECTION 11: TOXICOLOGICAL INFORMATION

11.1

TOXICOLOGICAL EFFECTS

ACUTE TOXICITY	NOT CLASSIFIED
SKIN IRRITATION	CAUSES SKIN IRRITATION
EYE DAMAGE OR IRRITATION	NOT CLASSIFIED
RESPIRATORY OR SKIN SENSITIVITY	MAY CAUSE ALLERGIC SKIN REACTION
GERM CELL MUTAGENICITY	NOT CLASSIFIED
CARCINOGENICITY	NOT CLASSIFIED
REPRODUCTIVE TOXICITY	NOT CLASSIFIED
STOT – SINGLE EXPOSURE	NOT CLASSIFIED
STOT – REPEATED EXPOSURE	NOT CLASSIFIED
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS
OTHER INFORMATION	NO DATA.



SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY	VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS
12.2 PERSISTENCE & DEGRADABILITY	NO DATA
12.3 BIO- ACCUMULATIVE POTENTIAL	NO DATA
12.4 MOBILITY IN SOIL	NO DATA
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO DATA
12.6 OTHER ADVERSE EFFECTS	NO OTHER ADVERSE ENVIRONMENTAL EFFECTS (E.G. OZONE DEPLETION, PHOTOCHEMICAL OZONE CREATION POTENTIAL, ENDOCRINE DISRUPTION, GLOBAL WARMING POTENTIAL) ARE EXPECTED FROM THIS COMPONENT. .

SECTION 13: DISPOSAL INFORMATION

13.1 WASTE TREATMENT METHODS	<p>DISPOSAL INSTRUCTIONS DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DO NOT ALLOW THIS MATERIAL TO DRAIN INTO SEWERS/WATER SUPPLIES. DO NOT CONTAMINATE PONDS, WATERWAYS OR DITCHES WITH CHEMICAL OR USED CONTAINER. DISPOSE OF CONTENTS/CONTAINER IN ACCORDANCE WITH LOCAL/REGIONAL/NATIONAL/INTERNATIONAL REGULATIONS.</p> <p>LOCAL DISPOSAL REGULATIONS DISPOSE IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.</p> <p>HAZARDOUS WASTE CODE NOT ESTABLISHED.</p> <p>WASTE FROM RESIDUES / UNUSED PRODUCTS EMPTY CONTAINERS OR LINERS MAY RETAIN SOME PRODUCT RESIDUES. THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE MANNER (SEE: DISPOSAL INSTRUCTIONS).</p> <p>CONTAMINATED PACKAGING EMPTY CONTAINERS SHOULD BE TAKEN TO AN APPROVED WASTE HANDLING SITE FOR RECYCLING OR DISPOSAL, SINCE EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED.</p>
---	---

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

SECTION 14: TRANSPORT INFORMATION	
14.1 TRANSPORT INFORMATION	
UN NUMBER	ROAD: 1169 RAIL: 1169 AIR: 1169
14.2 UN SHIPPING NAME	UN1169 EXTRACTS, AROMATIC, LIQUID.
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: 3 FLAMMABLE LIQUID. IMDG CLASS: 3 FLAMMABLE LIQUID. ICAO CLASS/DIVISION: 3 FLAMMABLE LIQUID. TRANSPORT LABELS  TUNNEL RESTRICTION CODE D/E
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 ENVIROMENTAL HAZARDS	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT 
14.6 SPECIAL PRECAUTIONS FOR USER	SEE SECTIONS 6 - 8.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	PACKED AND TRANSFERRED ACCORDING TO TRANSPORT REGULATIONS.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) No793/93 & COMMISSION REGULATION (EC) No1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



THE OIL FAMILY

GUIDANCE NOTES	
15.2 CHEMICAL SAFETY ASSESSMENT	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108. -

SECTION 16: OTHER INFORMATION

HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL		H226: FLAMMABLE LIQUID AND VAPOUR. H302: HARMFUL IF SWALLOWED. H304: MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315: CAUSES SKIN IRRITATION. H317: MAY CAUSE AN ALLERGIC SKIN REACTION. H319: CAUSES SERIOUS EYE IRRITATION. H400: VERY TOXIC TO AQUATIC LIFE. H410: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.		
ABBREVIATIONS & ACRONYMS:		
	MSDS	MATERIAL SAFETY DATA SHEET.
	INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
	CAS	CHEMICAL ABSTRACT SERVICE.
	IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
	ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
	RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
	ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
	ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
	GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
	TREM CARD	TRANSPORT EMERGENCY CARD.
	STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION

DATE	CHANGE DESCRIPTION
10 TH APRIL 2018	DATA LAUNCH
FEBRUARY 2021	REVIEW

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM