



Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFICATION

PRODUCT NAME	SAGE, ESSENTIAL OIL				
BIOLOGICAL DEFINITION	SALVIA OFFICINALIS OIL IS THE ESSENTIAL OIL DERIVED, BY STEAM DISTILLATION, FROM THE LEAVES OF SAGE, SALVIA OFFICINALIS L., LAMIACEAE.				
INCI NAME	SALVIA OFFICINALIS OIL				
SYNONYMS & TRADE NAMES	-				
INTERNAL PRODUCT CODE	K0407				
CAS-No	8022-56-8 / 84776-73-8	EC No.	282-025-9	EINECS No.	282-025-9

1.2 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

COMPANY ADDRESS	O&3 Unit 2, Athelstan Business Park, Hanwell Lane, Hutton Conyers, Ripon, HG4 5BF, England.
EMAIL	TECHNICALCREW@OAND3.COM





1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

EMERGENCY CONTACTS	MRS. ELEANOR WADE (07968 200167)
--------------------	----------------------------------

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM

SECTION 2: HAZARDS IDENTIFICATION

2.1			
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE			
THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.			
CLASSIFICATION (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.		
CLASSIFICATION (EU1272/2008)	PHYSICAL HAZARDS: FLAM. LIQ. 3 – H226 HEALTH HAZARDS: ASP. TOX. 1 – H304, SKIN IRRIT. 2 – H315, SKIN SENS. 1B – H317, STOT SE 2 – H371 ENVIRONMENTAL HAZARDS: AQUATIC CHRONIC 3 – H412 *SEE SECTION 16 FOR OTHER INFORMATION ON PRODUCT CLASSIFICATION.		
2.2			
LABEL ELEMENTS			
LABEL IN ACCORDANCE WITH REGULATION (EC) No 1272/2008.			
GHS LABEL	<div></div> <div></div> <div></div> <div></div>		
GHS02	GHS07	GHS08	GHS09
SIGNAL WORD	DANGER.		
CONTAINS	BETA-CARYOPHYLLENE, ALPHA-PINENE		
HAZARDS STATEMENT	H226 FLAMMABLE LIQUID AND VAPOUR. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H371 MAY CAUSE DAMAGE TO ORGANS. H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.		
PRECAUTIONARY STATEMENTS	P210 KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. NO SMOKING. P261 AVOID BREATHING VAPOURS/SPRAY. P273 AVOID RELEASE TO THE ENVIRONMENT. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION P301+P310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER/DOCTOR. P303+P361+P353 IF ON SKIN (OR HAIR) TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER. P331 DO NOT INDUCE VOMITING. P333+P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P370+P378 IN CASE OF FIRE USE WATER CARBON DIOXIDE, DRY CHEMICAL, FOAM. P391 COLLECT SPILLAGE. P501 DISPOSE OF CONTENTS IN ACCORDANCE WITH LOCAL, STATE OR NATIONAL LEGISLATION.		
SUPPLEMENTARY PRECAUTIONARY STATEMENTS	P264 WASH HANDS AND EXPOSED SKIN THOROUGHLY AFTER HANDLING.		
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.			
2.3			
OTHER HAZARDS			
ADVERSE PHYSIO-CHEMICAL PROPERTIES	NO DATA		
ADVERSE EFFECTS ON HUMAN HEALTH	NO DATA		
PBT OR vPvB ACCORDING TO ANNEX XIII	NO DATA		

SECTION 3: COMPOSITION OF INGREDIENTS

3.2 MIXTURES	20.0 – 30.0% ALPHA-THUJONE CAS No: 546-80-5 EC No: 208-912-2 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302 10.0 – 25.0% CAMPHOR CAS No: 76-22-2 EC No: 200-945-0 CLASSIFICATION (EC 1272/2008) FLAM. SOL. 2 - H228, SKIN IRRIT. 2 - H315, EYE DAM. 1 - H318, ACUTE TOX. 4 - H332, STOT SE 2 - H371 5.0 – 12.0% 1,8-CINEOLE CAS No: 470-82-6 EC No: 207-431-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN SENS. 1B - H317
---------------------	--

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



	<p>2.5 - 10.0% BETA-CARYOPHYLLENE CAS No: 87-44-5 EC No: 201-746-1 CLASSIFICATION (EC 1272/2008) ASP. TOX. 1 - H304, SKIN SENS. 1B - H317</p> <p>1.0- 10.0% BETA-THUJONE CAS No: 471-15-8 EC No: 620-564-7 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302</p> <p>4.0 - 7.0% CAMPHENE CAS No: 79-92-5 EC No: 201-234-8 CLASSIFICATION (EC 1272/2008) FLAM. SOL. 1 - H228, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410</p> <p>3.0 - 7.0% ALPHA-PINENE CAS No: 80-56-8 EC No: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 - H302, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410</p> <p>1.0 - 5.0% BETA-PINENE CAS No: 127-91-3 EC No: 204-872-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410</p> <p>≤ 5.0% D-LIMONENE CAS No: 5989-27-5 EC No: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410</p> <p>≤ 2.0% MYRCENE CAS No: 123-35-3 EC No: 204-622-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 2 - H411</p> <p>≤ 2.0% LINALOOL CAS No: 78-70-6 EC No: 201-134-4 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, SKIN SENS. 1B - H317, EYE IRRIT. 2 - H319</p> <p>≤ 2.0% GAMMA-TERPINENE CAS No: 99-85-4 EC No: 202-794-6 CLASSIFICATION (EC 1272/2008), FLAM. LIQ. 3 - H226, REPR. 2 - H361, AQUATIC CHRONIC 2 - H411</p>
--	---

SECTION 4: FIRST AID MEASURES

4.1	
DESCRIPTION OF FIRST AID MEASURES	
GENERAL INFORMATION	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
INHALATION	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
INGESTION	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
SKIN CONTACT	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
EYE CONTACT	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 MOST IMPORTANT SYMPTOMS & EFFECTS (ACUTE & DELAYED)	NO ADDITIONAL DATA AVAILABLE.
4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION OR SPECIAL TREATMENT REQUIRED	TREAT SYMPTOMATICALLY.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM

SECTION 5: FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MATERIAL	FOAM, CO ₂ , DRY CHEMICAL POWDER.
5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES
5.3 ADVICE FOR FIRE-FIGHTERS	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 ENVIRONMENTAL PRECAUTIONS	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 METHODS & MATERIAL FOR CONTAINMENT AND CLEANING UP	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 REFERENCES TO OTHER SECTIONS	REFER & CONSIDER SECTIONS 4, 7, 8 & 13.

SECTION 7: HANDLING & STORAGE

7.1 PRECAUTIONS FOR SAFE-HANDLING	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
7.3 SPECIFIC END USE(S)	NO DATA.

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 CONTROL PARAMETERS	CAMPOR CAS No: 76-22-2 AS SOLID: LONG-TERM EXPOSURE LIMIT (8-HOUR TWA): WEL 2 PPM 13 MG/M ³ SHORT-TERM EXPOSURE LIMIT (15-MINUTE): WEL 3 PPM 19 MG/M ³ WEL = WORKPLACE EXPOSURE LIMIT.
----------------------------------	--

8.2 EXPOSURE CONTROLS



EYE PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
HAND PROTECTION	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
RESPIRATORY EQUIPMENT	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



	CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
HYGIENE MEASURES	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
ENGINEERING MEASURES	PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION.
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIRONMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 PHYSICAL & CHEMICAL PROPERTIES	
APPEARANCE	LIQUID
COLOUR	COLOURLESS – YELLOW – GREENISH YELLOW
ODOUR	CHARACTERISTIC
RELATIVE DENSITY	APPROX. 0.915 @ 20°C
FLASH POINT (°C)	50°C
REFRACTIVE INDEX @ 20 °C	APPROX. 1.466 @ 20°C
SOLUBILITY IN WATER @ 20 °C	INSOLUBLE IN WATER.
9.2 OTHER INFORMATION	NO DATA.

SECTION 10: STABILITY & REACTIVITY

10.1 REACTIVITY	PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.
10.2 CHEMICAL STABILITY	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
10.3 POSSIBILITY OF HAZARDOUS REACTIONS	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.
10.4 CONDITIONS TO AVOID	KEEP AWAY FROM HEAT, HOT SURFACES, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES. PREVENT STORING THE PRODUCT IN OPEN CONTAINERS FOR LONG PERIODS SO AS TO PREVENT PRODUCT DETERIORATION.
10.5 INCOMPATIBLE MATERIALS	AVOID CONTACT WITH STRONG ACIDS, ALKALIS OR OXIDISING AGENTS.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY	THE CLP ADDITIVITY CALCULATION CLASSIFIES PRODUCT AS H302 HARMFUL IF SWALLOWED (ACUTE TOX. 4). HOWEVER BASED ON REACH DATA PRODUCT IS NOT CLASSIFIED AS TOXIC FOR INGESTION SINCE LD50 >2000MG/KG BW. ACUTE TOXICITY SKIN CONTACT – NOT CLASSIFIED.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



THE OIL FAMILY

	ACUTE TOXICITY INHALATION – NOT CLASSIFIED.
SKIN IRRITATION	CAUSES SKIN IRRITATION.
EYE DAMAGE OR IRRITATION	THE CLP ADDITIVITY CALCULATION CLASSIFIES PRODUCT AS H318 - CAUSES SERIOUS EYE DAMAGE. HOWEVER, BASED ON REACH DATA THE PRODUCT DOES NOT REQUIRE CLASSIFICATION FOR EYE IRRITATION OR SERIOUS EYE DAMAGE.)
RESPIRATORY OR SKIN SENSITIVITY	MAY CAUSE AN ALLERGIC SKIN REACTION.
GERM CELL MUTAGENICITY	NOT CLASSIFIED.
CARCINOGENICITY	NOT CLASSIFIED.
REPRODUCTIVE TOXICITY	NOT CLASSIFIED.
STOT – SINGLE EXPOSURE	MAY CAUSE DAMAGE TO ORGANS.
STOT – REPEATED EXPOSURE	NOT CLASSIFIED.
ASPIRATION HAZARD	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
OTHER INFORMATION	NO ADDITIONAL DATA AVAILABLE.

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY	HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. BASED ON REACH DATA: ACUTE AQUATIC HAZARD: NOT CLASSIFIED. LOWEST E(L)C50 HIGHER THAN 1 MG/L. CHRONIC AQUATIC HAZARD: CATEGORY 3. LOWEST ACUTE E(L)C50 VALUE IS BETWEEN 10 AND 100 MG/L.
12.2 PERSISTENCE & DEGRADABILITY	TO BE CONSIDERED AS READILY BIODEGRADABLE BASED ON ITS READY BIODEGRADABILITY. OIL DOES NOT FULFIL THE CRITERIA FOR PERSISTENCE.
12.3 BIO- ACCUMULATIVE POTENTIAL	NO ADDITIONAL DATA AVAILABLE.
12.4 MOBILITY IN SOIL	NO ADDITIONAL DATA AVAILABLE.
12.5 RESULTS OF PBT & VPVB ASSESSMENT	NO ADDITIONAL DATA AVAILABLE.
12.6 OTHER ADVERSE EFFECTS	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.

SECTION 13: DISPOSAL INFORMATION

13.1 WASTE TREATMENT METHODS	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.
---	--

SECTION 14: TRANSPORT INFORMATION


14.1 TRANSPORT INFORMATION	
UN NUMBER	ROAD: 1169 RAIL: 1169 AIR: 1169
14.2 UN SHIPPING NAME	EXTRACTS, AROMATIC, LIQUID
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID ADR/RID— CLASS 3 ADR CLASSIFICATION CODE – F1 SPECIAL PROVISIONS – 601

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM



THE OIL FAMILY

	<p>LIMITED QUANTITIES – 5L EXPECTED QUANTITIES – E1 EMERGENCY ACTION CODE – 3Y TUNNEL RESTRICTION CODE – D/E</p> <p>IMDG IMDG – CLASS 3 SPECIAL PROVISIONS – 601 LIMITED QUANTITIES – 5L EXPECTED QUANTITIES – E1 IMDG EMS – F-E, S-D STOWAGE AND HANDLING – CATEGORY A</p> <p>ICAO/IATA ICAO/IATA – CLASS 3 IATA PROPER SHIPPING NAME - EXTRACTS, AROMATIC, LIQUID EXPECTED QUANTITIES – E1</p> <p>TRANSPORT LABELS</p> 
14.4 PACKING GROUP	<p>ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III</p>
14.5 ENVIRONMENTAL HAZARDS	<p>ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT</p> 
14.6 SPECIAL PRECAUTIONS FOR USER	SEE SECTIONS 6 – 8.
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NO ADDITIONAL DATA.
SECTION 15: REGULATORY INFORMATION	
15.1 PRODUCT SPECIFIC SAFETY, HEALTH & ENVIRONMENTAL REGULATIONS & LEGISLATION	
EU DIRECTIVES	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO 1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
STATUTORY INSTRUMENTS	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
APPROVED CODE OF PRACTICE	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
GUIDANCE NOTES	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2	-

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM

SECTION 16: OTHER INFORMATION

HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H226 FLAMMABLE LIQUID AND VAPOUR. H228 FLAMMABLE SOLID. H302 HARMFUL IF SWALLOWED. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H318 CAUSES SERIOUS EYE DAMAGE. H319 CAUSES SERIOUS EYE IRRITATION. H332 HARMFUL IF INHALED. H361 SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD. H371 MAY CAUSE DAMAGE TO ORGANS. H400 VERY TOXIC TO AQUATIC LIFE. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
OTHER INFORMATION	*THE CLP ADDITIVITY CALCULATION INCLUDES: H302 ACUTE TOX. 4 H318 EYE DAM. 1 H411 AQUATIC CHRONIC 2 HOWEVER, PRODUCT IS CLASSIFIED ACCORDING TO REACH DATA: NOT CLASSIFIED AS H302 - HARMFUL IF SWALLOWED. NOT CLASSIFIED AS H318 - CAUSES SERIOUS EYE DAMAGE. CLASSIFIED AQUATIC CHRONIC 3 – H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS AND NOT AQUATIC CHRONIC 2 – H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
TRAINING INSTRUCTIONS: REFER TO POSSIBLE HAZARD BEFORE USE OF THIS PRODUCT.	
ABBREVIATIONS & ACRONYMS:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.



THE OIL FAMILY

TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

DOCUMENTATION REVISION

DATE	CHANGE DESCRIPTION
10 TH APRIL 2018	DATA LAUNCH
2021	REVIEW

The attached information is considered to be correct at the time the client received this information. Please be aware that detail can change and we encourage clients to update their records with O&3 regularly. The information is not and should not be considered a guarantee or warranty, or a part of our contractual or other legal obligations. The information is not to be disclosed to others, reproduced or transmitted in whole or in part without permission from O&3.

WWW.OAND3.COM